rille

7/8

SUIMIT IN Had ICALE

Lorm approved Budget Pureau No. 42 R1425

(Other fastress) con URITED STATES DEPARTMENT OF THE INTERIOR D. TEARE DERICKATION AND STRIAL NO. GEOLOGICAL SURVEY NOG-8308-1033 IF INDIAN, ALLOTTLE OR THIRE NAME APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK Navajo In THE OF WORK 7 I THE ACCUPATION NAME DEEPEN [] PLUG BACK [] DRILL & b mar of well HUITIFIE X S PARM OR ITABE NAME on WELL 3 CAR L Navajo Tribal NAME OF OIEKATOR B WELL NO Chuska Energy Co. 13-35 A ADDRES, OF OI ERATOR 10 FIELD AND 1001, OR WILDIGAT c/o 3E Company, Inc., Box 190, Farmington, NM 87499 VOTGULLANG. _Aneth SEC. T. R M OR BLK 2140' FSL & 820' FWL At proposed prod zone Sec 35, T41S, R25E same 12 COLNTY OR LARISH | 13 STATE 14 DINTANCE IN MILES AND LIPACTION FROM NEAREST TOWN OR LOST OFFICE. San Juan 15 DISTANCE FROM IROTOSEDS

LUCATION TO NEAPLET

IROTERTY OR 11 USE TINE FT

(Also to defrest drig unit time if any) 16 NO OF ACETS IN ITABE 40 5120 20 hOTARY OR CABLL TOOLS IS DISTANCE FROM HOLESED LOCATION* 19 PROPOSED DELTH TO STAILST WITE IFFILING CONFILTED OR APPLIED FOR ON THIS IFASE FT 5550 Rotary 22 ALLION PATE WORK WILL START 21 FILVATIONS (Show whether DI, RT, GR etc.) 10/15/83 4575' GR IROLOSED CASING AND CEMENTING PROGRAM WENT HET FEP FOOT BLITING I HITH NIZE OF CANING

100

1300

5550

see_attached_

cement information

(SEE ATTACHED)

54.5

-24 15.5

is about stace theorise thologid inogram. If proposal is to definer plug back give data on present productive zone and proposed new profurtive If proposal is to drill or deepen directionally give partirent data on sabsurface locations and measured and true vertical depths. Give blowout preventer program if any __September_23__1983

| COMPANY | JUNA_FN; RQY_COM | P/ NY | | |
|----------------|----------------------------|-------------|--------------|-----------|
| | A JO 1313VF | WELL HO | _13-35 | |
| SAN | T 1,38 JEAN COUNTY, UT. | 25E AH | | _ |
| LOCATION . PIL | O'FSL 820'FWL | <u></u> | | - |
| · reevation 15 | 7 <u>5 ungrahed</u> Ern | -n <u>j</u> | | |
| | | | | |
| | 1 | | | |
| | | | ł • | |
| | | | | |
| | 1 | | r i | |
| | 1 540. | | † | |
| - | 1 | |] - | |
| 5201 -3 | 1 | 35 | 1 | |
| | [| | | - |
| | 1 | | | |
| יה,ונצ | | | i | |
| | | | |] { |

LATE 4 PENIS FOLKES | WILE

THIS IS TO COUNTRY MAITTHEARDNE PLATNING FOR ASSISTED.

HILD NO FOUL ACTUAL FOR THY WASTE BY LEGIT OF LAMP FOR IN.

HILL AND THAT WE SEE THE TOREAR OF THOS OF ME.

FOR THE MY PROSENT TELL OF COLORS.

FORMATION INFORMATION AND DRILLING PRACTICES

CHUSKA ENERGY CO. Navajo Tribal No. 13-35 NWSW Sec 35-415-25E San Juan Co., Utah

face Formation:

Morrison

Estimated Formation Tops:

| Chinle | 1750' |
|--------------|-------|
| Dechelly | 2460' |
| Organ Rock | 2580' |
| Cuttler | 3650' |
| Hermosa | 4400' |
| Upper Ismay | 5220' |
| Lower Ismay | 5320' |
| Desert Creek | 53901 |
| ת ד | 55501 |

Estimated Depth of Anticipated Water, Oil, Gas or Minerals:

0il 5320' 0il 5390'

Proposed Casing Program:

| 0-100' | 13 3/8", 54.5 lb/ft, ST & C, J-55 new casing; cement with 120 feet 3 Class "B" + 2% CaCl $_2$ + 1/4 lb celophane flakes per sack |
|--------------|---|
| 0-1300' | 8 5/8", 24 1b/feet, ST & C, K-55 new casing; cement with 800 feet $65-35$ poz mix + 6% gel + 3% CaCl $_2$ followed by 200 feet Class "B" + 2% CaCl $_2$. Cement will be brought to surface. |
| 0-5550' T.D. | 5 1/2", 15.5 lb/ft, ST & C, K-55 new casing; cement with 450 feet 50-50 poz mix + 2% CaCl ₂ + 10% salt + 0.8% fluid loss additive. Cement top at 4,000' |

Pressure Control Equipment - Blow Out Preventor:

The attached schematic shows the type of blowout preventor to be used while drilling. The unit will be tested to 800 psi prior to drilling from under the surface pipe.

Drilling Fluids:

| DEPTH | TYPE | VIS | WEIGHT | FLUID LOSS |
|------------|------------|-------|--------|----------------|
| 0-1300' | Gel-lime | 35-45 | 9.0 | Not controlled |
| 1300-4000' | Gel-chem | 35-45 | 9.5 | 15cc |
| 4000-5550' | Low solids | 45-50 | 10.0 | 9cc |

Auxiliary Equipment:

- a. Bit Float
- b. Stabbing valve to be used to drill pipe when kelly is not connected.

Logging - Coring - Testing Program:

Logging - Open Hole: IES, CNL, FDC Mud: 4000' to T.D. ling

: possible in Lower Ismay and Desert Creek

coring


: None Planned

Abnormal Temperatures, Pressures or Potential Hazards:

None Expected

Starting Date:

Anticipated starting date is October 15, 1983. Approximately 5 days will be required to build roads and location. Drilling will take about 15 days completion should be accomplished in 6 days.



BLOWOUT PREVENTER HOOKUP

SURFACE USE PLAN

CHUSKA ENERGY CO. Navajo Tribal No. 13-35 NWSW Sec 35-415-25E San Juan Co., Utah

sting Roads (Shown in Green)

the attached topographic map shows all existing roads within one mile of the proposed location. The access will be from Utah Hwy, 262 at the Aneth Community School. An improved secondary road will be followed to an existing well site in the SENE 34, 1415, R25E. No upgrading of this secondary road will be necessary.

2. Planned Access Road (Shown in Red)

The new access road will begin at Chuska's proposed Navajo Tribal No. 12-35 well site in SNNW Sec 35, 41S, 25E. The road will parallel an existing fence and then cross into the irrigated field where the drill site is located. Maximum grade is 5%. No water bars, culverts or turnouts should be needed. The requirements for the fence cut will be established with the land owner.

3. Location of Existing Wells

All existing oil, gas, water, drilling and disposal wells are shown on the attached plat.

1. Location of Tank Batteries, Prod. Facilities & Prod. Gathering & Service Lines

All production facilities are to be contained within the proposed location site. The operation has no other facilities in the area.

Location and Type of Water Supply

Fresh water for drilling will be trucked from the San Juan River, 1/2 mile South of the location.

Source of Construction Materials

Any gravel or other construction material that can not be obtained from the excess accumulated from building the location will be purchased from the Nayajo Tribe.

Methods of Handling Waste Disposal

All trash will be carried to a land fill or burned. All nonburnable materials (drilling fluids, cuttings, chemicals) will be stored in the reserve pit and then buried when they have dried. Any oil produced while drilling will be trucked from the location prior to leaving pit to dry out. Pits will be completely fenced during drying time, then backfilled with dirt prior to preparing the location for production or abandonment.

A portable chemical toilet will be supplied for human waste.

Ancillary Facilities - No ancillary facilities are planned.

Well Site Layout - The attached layout shows the drilling rig with all associated facilities. Cut and fill required is also indicated.

Plans for Restoration of Surface

Restoration of the wellsite and access road will begin within 90 days of well completion, weather permitting, and if required by private land owner. Should well be abandoned, the drilling site will be reshaped to is approximate former contour.

access road will be plowed up and leveled. Both drillsite and road will have by topsoil replaced and will be reseeded when germination of seeds can take place. In either case, cleanup of the site will include burning of any safely burnable material, filling of all pits, carrying away of all nonburnable material and any chemicals that cannot be safely buried, and the hauling off of any oil that may have accumulated on the pits while drilling. A burn permit will be acquired if necessary.


This location is 1/2 mile North or the San Juan Ri, mand is in an irrigated alfalfa field. The site is very flat. The soil is sandy and will probably have to be watered down & placed to support heavy traffic. There is a residence 1/2 mile south of the location. No artifacts were found on the road or location.

John Alexander 3E Company, Inc. P.O. Box 190 Farmington, NM 87499 Phone: 505-326-1135


hereby certify that I, or persons under my direct supervision, have inspected the roposed drillsite and access route; that I am familiar with the conditions which resently exist; that the statements made in the plan are, to the best of my nowledge, true and correct; and that the work associated with the operations roposed herein will be performed by Chuska Energy Co. and its contractors and abcontractors in conformity with this plan and the terms and conditions under sich it is approved.

n Alexanter

BOOD Soil STOCK Pile Reserve Pit וסכסדיסא טונסק ב Steel Pit TEASH COOR [MUD BUMP Chemical Electric deverator Trailer house verticle scale: horizontal scale! 1=50' 1"=10" CHUSKA ENFRGY CO. NAVAJO TRIBAL NO 13.35 NW SW 35-T. 418-R. 25E SAN JUAN CO., UTAH Tocotion grade



San Juan Co., Utah



| OPERATOR Ch. | ear Energy 6 | | DATE | 1 29-83 |
|-------------------|-------------------------|-----------|------------|---|
| WELL NAME 72. | ran inite 1 | 3 3 5 - | | |
| SEC NUSA 35 | T <u>0/5</u> | R ~5 & * | COUNTY San | Julai . |
| | 017. 3094= PI TIMBER | | TYPE OF LI | ASE |
| POSTING CHECK OFF | : | | | |
| I | X3G/1 | MAP | | HL |
| N | ID | | | PI |
| PROCESSING COMEN | rs: Encles with | si sors | OF UTA | D BY THE STATE H DIVISION OF S, AND MINING 10-28-83 |
| CHIEF PETROLEUM E | NGINEER REVIEW | | (1 | |
| | | | | |
| APPROVAL LETTER | | | | |
| SPACING: | A-3 UNII | | c-3-a | JUSE NO. & DATE |
| | c-3-b | | c-3-c | |
| SPECIAL LANGUAGE: | Y Palation | | | |
| | 2- Prairie | enntrol. | eous ine a | tohall is |
| - | tester , | o a miles | ulraum_ | 01500 P3I |
| | | | | |
| | | | | |
| | | | | |

| RECONCILE WELL NAME AND LOCATION ON APD AGAINST SAME DATA ON PLAT | ' MAP. | - |
|---|--------|---|
| AUTHENTICATE LEASE AND OPERATOR INFORMATION | | |
| VERIFY ADEQUATE AND PROPER BOXDING | | |
| AUTHENTICATE IF SITE IS IN A NAMED FIELD, ETC. | | |
| APPLY SPACING CONSIDERATION | | |
| ORDER 110 | | |
| UNIT | | |
| c-3-b | | |
| с-3-с | | |
| CHECK DISTANCE TO NEAREST WELL. | | |
| CHECK OUTSTANDING OR OVERDUE REPORTS FOR OPERATOR'S OTHER WELLS. | | |
| IF POTASH DESIGNATED AREA, SPECIAL LANGUAGE ON APPROVAL LETTER | | |
| IF IN OIL SHALE DESIGNATED ARFA, SPECIAL APPROVAL LANCUACE. | | |

January 9, 1924

Chassa lacray Company c/o SE Company, Inc. F.G. Ecx 190 Fathamaton, 181 87499

> En; Well do. Pavajo Tribal 126-10. SESS Sec. 16-7. 464, R. 767 820' FSL 2310' FW. San Juan County, Utah

Centlement

Approved to do it to the above rederences oil will is hereby example to accordance with it is -- (c), General Pules one Equipmentages and rules of fractice as. Processes, subject to the Hollowine attendations:

- Receipt by the Mark on the evidence providing measurements an adoquete and approved couply of their prior to compressed of drilling.
- 4) Submitted to the livingen of inferration funtifying the precountry for an exception location and very leation of inverse position a reduce a of UO located the proposed leation.

In addition, the following, notices or percently to fully comply with this approval:

- Specially noticienties to the White Thide 26 hours after Ort. Plug operations.
- bubilital to the Mylaica of corplete Tour CF-4-2, Paper of Paper Lacountered During Brilliam.
- I traph notification to the Principal model you determine there it to macromity to plus and changes the real. The Py ". J. Myrd., which felled as the principal and the Part of the Par

The AP, nuclear entitioned to talk will be 34 Jeffells.

i. J. lärth

usel Istrolan Bearer



4241 State Office Building · Salt Lake City UT 84114 · 801-533-5771

January 23, 1985

Bureau of Land Management Branch of Fluid Minerals P.O. Box 970 Moab, Utah 84532

Attention: Carol Fruediger

Gentlemen:

Re: Well No. Navajo Tribal 13-35 - Sec. 35, T. 41S., R. 25E.

| San Juan County, Utah - API #43-037-30946 - Lease #NOG-8308-1033 |
| Operator of Record - Chuska Energy Co.

The above referred to well in your district was given State of Utah approval to drill January 9, 1984. This office has not received notification of any activity on this location.

If you have received any information on this location would you please send a copy to this office?


Thank you for your help in keeping our records up to date,

Sincerely,

Claudia L. Jones Well Records Specialist

cc: Dianne R. Nielson Konald J. Firth John R. Baza

00095/2





355 W North Temple + 3 Triad Center + Suite 350 + Salt Lake City UT 84180-1203 801-538-5340

June 17, 1985

Bureau of Land Management Branch of Fluid Minerals P.O. Box 970 Moab, Utah 84532

Gentlemen:

Re: Well No. Navajo Tribal 13-35 - Sec. 35, T. 41S., R. 25E.,

San Juan County, Utah - API #43-037-30946 - Lease #NOG-8308-1033

Operator of Record - Chuska Energy Company

The above referenced well in your district was given state approval to drill October 28, 1983. This office has not received notification of any activity on this location.

Please let me know what act on, if any, the Bureau of Land Management is taking on this well.

Thank you for your help in keeping our records up to date.

Sincerely,

Pam Kenna

Well Records Specialist

Enclosure cc: Dianne R. Nielson Ronald J. Firth John R. Baza File

01705/38



355 Wilforth Temple is Flad Center Suite 350 Salt Lave City, 197, 87, 60-1203, 601, 538, 5340

April 8, 1986

Mr. John Keller U.S. Bureau of Land Management Caller Service 4104 Farmington, New Mexico 87499

Dear Mr. Keller:

RE: Status of Wells in San Juan County, Utah

Pursuant to our telephone conversation, I am requesting status information for the wells listed on the attached sheet. The listed wells were approved by this office over one year ago and no additional information has been received from the operator to indicate whether the wells have been drilled. I would appreciate information from your office stating the current status of these applications. Based on your response, this office will take administrative action in coordination with any BLM action.

The wells are listed by operator, well name and location with the Indian lease number referenced. I could not find the operating agreement number listed in the well records of this office; therefore, it is not shown for any of the wells.

Your consideration of this request is appreciated. If you can provide us with any other information concerning administrative actions taken for wells on Navajo Indian land, it would greatly improve the quality of our well records. This office currently coordinates with other BLM offices within Utah to provide notice of drilling approvals and rescission notices and we would be happy to develop a similar arrangement with your office.

Page 2 Mr. John Keller April 8, 1986

Please contact me if you have any questions concerning this request.

Sinceraly,

John R. Baza Petroleum Engineer

sb Attachment cc: D. R. Nielson R. J. Firth Well Files 0265T-73-74

ATTACHMENT

CHUSKA ENERGY COMPANY WELL NO. NAVAJO TRIBAL 13-35 SEC.35, T.41S, R.25E, SAN JUAN COUNTY, UTAH API NO. 43-037-30946 LEASE NO. NOG-8308-1033

CHUSKA ENERGY COMPANY
WELL NO. NAVAJO TRIBAL 44-13
SEC.11, T.425, R.24E,
SAN JUAN COUNTY, UTAH
API NO. 43-037-31116
LEASE NO. NOG-8308-1033

CHUSKA ENERGY COMPANY WELL NO. NAVAJO TRIBAL 24-10 SEC.10, T.40S, R.24E, SAN JUAN COUNTY, UTAH API NO. 43-037-30976 LEASE NO. NOG-8308-1033

CHUSKA ENERGY COMPANY
WELL NO. NAVAJO TRIBAL 43-21
SEC.21, T.40S, R.25E,
SAN JUAN COUNTY, UTAH
API NO. 43-037-31037
LEASE NO. NOG-8308-1033

CHUSKA ENERGY COMPANY WELL NO. NAVAJO TRIBAL 12-22 SEC.22, T.40S, R.25E, SAN JUAN COUNTY, UTAH API NO. 43-037-31114 LEASE NO. NOG-8308-1033

CHUSKA ENERGY COMPANY WELL NO. NAVAJO TRIBAL 43-1 SEC.1, T.41S, R.22E, SAN JUAN COUNTY, UTAH API NO. 43-037-31039 LEASE NO. NOG-8308-1033 PAGE TWO ATTACHMENT

CHUSKA ENERGY COMPANY WELL NO. NAVAJO TRIBAL 12-31 SEC.31, T.40S, R.23E, SAN JUAN COUNTY, UTAH API NO. 43-037-31035 LEASE NO. NOG-8308-1033

CHUSKA ENERGY COMPANY WELL NO. NAVAJO TRIBAL 32-36 SEC.36, T.40S, R.22E, SAN JUAN COUNTY, UTAH API NO. 43-037-31036 LEASE NO. NOG-8308-1033

CHUSKA ENERGY COMPANY
WELL NO. NAVAJO TRIBAL 31-36
SEC.36, T.40S, R.22E,
SAN JUAN COUNTY, UTAH
API NO. 43-037-31061
LEASE NO. NOG-8308-1033

HICKS OIL AND GAS, INC. WELL NO. AZTEC-NAVAJO #2 SEC.33, F.41S, R.26E, SAN JUAN COUNTY, UTAH API NO.43-037-31071 LEASE NG. 14-20-0603-8495






United States Department of the Interior

BUREAU OF LAND MANAGEMENT Caller Service 4104

Farmington, New Mexico 87499

APR 16 1986



Of Cars Without

State of Utah Natural Resources Oil, Gas and Mining Attn: Mr. John R. Baza, Petroleum Engineer 355 W. North Temple 3 Triad Center, Svite 350 Salt Lake City, UT 84180-1203

Dear Mr. Baza:

All proposed wells on the accompanying list were either returned unapproved or approval was rescinded on the dates indicated beside each.

In the future this office will route a copy of the transmittal letter for such actions occurring in the State of Utah to your office for record purposes.

For your information, the number NOG-8308-1033 is the Navajo Operating Agreement number, not a lease number.

circerely,

For John S. McKee Acting Area Manager

Enclosure

ATTACHMENT

CHUSKA EHERGY COMPANY WELL NO. NAVAJO TRIBAL 13-35 SEC.35, T.41s, R.25E, SAN JUAN COUNTY, UTAN API NO. 43-037-30946 LEASE NO. NOG-8308-1033

12 hours 1/1/66

CHUSKA ENERGY COMPANY
WELL NO. HAVAJO TRIBAL 44-LL
SEC.11, T.42S, R.24E,
SAN JUAN COUNTY, UTAH
API NO. 43-037-31116
LEASE NO. NOG-8308-1033

xide and fists

CHUSKA ENERGY COMPANY
WELL NO. NAVAJO TRIBAL 24-10
SEC.10, T.40S, R.24E,
SAN JUAN COUNTY, UTAH
API NO. 43-037-30976
LEASE NO. NOG-8308-1033

hearnaled 2/14/86

CHUSKA ENERGY COMPANY WELL NO. NAVAJO TRIBAL 43-21 SEC.21, T.40S, R.25E, SAN JUAN COUNTY, UTAH API NO. 43-037-31037 LEASE NO. NOG-8308-1033

remarked aftifich

CHUSKA ENERGY COMPANY
WELL NO. NAVAJO TRIBAL 12-22
SEC.22, T.40S, R.25E,
SAN JUAN COUNTY, UTAH
API NO. 43-037-31114
LEASE NO. NOG-8308-1033

rehard Thisfest

CHUSKA ENERGY COMPANY WELL NO. NAVAJO TRIBAL 43-1 SEC.1, T.41S, R.22E, SAN JUAN COUNTY, UTAH API NO. 43-037-31039 LEASE NO. NOG-8308-1033

seturned 1/1/66

PAGE TWO ATTACHMENT

CHUSKA ENERGY COMPANY
WELL NO. NAVAJO TRIBAL 12-31
SEC.31, T.40S, R.23E,
SAN JUAH COUNTY, UTAH
API NO. 43-037-31035
LEASE NO. NOG-8308-1033

Linkened 14/26

CHUSKA ENERGY COMPANY WELL NO. HAVAJO TRIBAL 32-36 SEC.36, T.40S, R.22E, SAN JUAN COUNTY, UTAH API NO. 43-037-31036 LEASE NO. NOG-8308-1033


Reloved 1/1/16

CHUSKA ENERGY COMPANY
WELL NO. HAVAJO TRIBAL 31-36
SEC.36, T.40S, R.22E,
SAN JUAN COUNTY, UTAH
API NO. 43-037-31061
LEASE NO. NOS-8308-1033

1 much 1 3/5/86

HICKS OIL AND GAS, INC. WELL NO. AZTEC-HAVAJO #2 SEC.33, T.41S, R.26E, SAN JUAN COUNTY, UTAH API NO.43-037-31071 LEASE NO. 14-20-0603-8495

All not gothed





orth Cartare Karin se Center Nork Cute 360 KBait Cave City, Ut 84180/1203 K801/835/6340

May 5, 1986

Chuska Energy Company c/o 3E Company, Inc. Box 190 Farmington, New Mexico 87499

Gentlemen:

RE: Well No. Navajo Tribal 13-35, Sec.35, T.41S, R.25E, San Juan County, Utah, API NO. 43-037-30946

In concert with action taken by the U.S. Bureau of Land Management, approval to drill the above referenced well is hereby rescinded. A new Application for Permit to Drill must be filed with this office for approval, prior to future drilling of the subject location.

If any previously unreported operations have been performed on this well location, it is imperative that you notify the Division of Oil, Gas and Mining immediately.

Sincerely.

Jøhn R. Baza Petroleum Engineer

cc: BLM-Farmington D. R. Nielson R. J. Firth Well file

0278T-54